WEEK 26 -LeMoyne Star

Diamonds



CUTTING FABRIC PIECES


Refer to the Cutting List on Page 3 to cut the fabric pieces.


I fussy cut Location #2A. When fussy cutting pieces that aren't at Location #1, be careful lining up the pieces for sewing. The top and bottom edges should line up where the solid red line and gray guidelines intersect. The right side should line up with the gray guideline. Place a piece of tape on the lower left corner of Location #1 so it doesn't shift when pinning.

Make sure your fussy cut design is going the same direction on all 4 pieces. When working with batiks the repeats are not always identical so you may not get a perfect match.

PIECING THE BLOCK

Refer to Week 1 General Instructions and Week 10 - Dakota Star to piece the block. Sew block units into pairs. Sew pairs together to make half blocks. Sew half blocks together to complete assembly. Seams may be pressed open or to one side as shown in the diagrams.








Make 4

Make 2

Open seam at center and press counterclockwise on front.








LeMoyne Star


4½" Finished


CUTTING LIST	
Location	Size to Cut
1A, 3B	25/8" x 25/8"
1B, 3A	21/4" x 21/4"
2A, 2B	1¾" strips

Cut a 45° angle from one end of strips for Locations #2A and 2B. Then cut into 1¾" diamonds by placing the straight edge of the ruler on the bias edge, and the 45° angle of the ruler on the bottom edge.

The direction you cut the angle determines which side will be on the straight grain. For A Units cut as shown in Diagram 1. For B Units cut as shown in Diagram 2.







LeMoyne Star 4½" Finished Mirrored

1" Test Square Use these mirrored templates for other paper piecing methods.

Set Page Scaling = None.
Background Grid Measures ½".